

**Table 6: Renal Transplant Recipients  
As of 1/1/2014 - 12/31/2014**

Age Group	Transplant Type				Total
	Deceased	Living Related	Living Unrelated	Unknown	
00-04	6	1	1	0	8
05-09	5	2	0	0	7
10-14	6	3	1	0	10
15-19	9	5	3	0	17
20-24	8	1	10	0	19
25-29	11	6	10	0	27
30-34	21	8	21	0	50
35-39	34	11	23	0	68
40-44	56	13	20	0	89
45-49	87	12	31	0	130
50-54	79	18	24	0	121
55-59	117	11	25	0	153
60-64	99	7	29	0	135
65-69	112	8	29	0	149
70-74	56	5	14	0	75
75-79	24	3	5	0	32
80-84	7	0	0	0	7
>=85	0	1	0	0	1
<b>Total</b>	<b>737</b>	<b>115</b>	<b>246</b>	<b>0</b>	<b>1,098</b>
Gender	Transplant Type				Total
	Deceased	Living Related	Living Unrelated	Unknown	
Female	254	45	90	0	389
Male	483	70	156	0	709
<b>Total</b>	<b>737</b>	<b>115</b>	<b>246</b>	<b>0</b>	<b>1,098</b>
Race	Transplant Type				Total
	Deceased	Living Related	Living Unrelated	Unknown	
American Indian/Alaska Native	0	0	2	0	2
Asian	34	7	12	0	53
Black or African American	388	37	69	0	494
Multiracial	0	0	1	0	1
Native Hawaiian or Other Pacific Islander	6	1	1	0	8
White	309	70	161	0	540
Not Specified	0	0	0	0	0
<b>Total</b>	<b>737</b>	<b>115</b>	<b>246</b>	<b>0</b>	<b>1,098</b>
Primary Diagnosis	Transplant Type				Total
	Deceased	Living Related	Living Unrelated	Unknown	
Acquired obstructive uropathy	1	1	1	0	3
Acute interstitial nephritis	1	1	0	0	2
AIDS nephropathy	7	0	1	0	8
Amyloidosis	1	0	1	0	2
Analgesic abuse	1	0	1	0	2

Cholesterol emboli, renal emboli	0	0	0	0	<b>0</b>
Chronic interstitial nephritis	6	0	0	0	<b>6</b>
Chronic pyelonephritis, reflux nephropathy	2	0	0	0	<b>2</b>
Complications of other specified transplanted organ	0	0	0	0	<b>0</b>
Complications of transplanted bone marrow	0	0	0	0	<b>0</b>
Complications of transplanted heart	1	0	0	0	<b>1</b>
Complications of transplanted intestine	0	0	0	0	<b>0</b>
Complications of transplanted kidney	14	0	19	0	<b>33</b>
Complications of transplanted liver	3	0	1	0	<b>4</b>
Complications of transplanted lung	0	0	1	0	<b>1</b>
Complications of transplanted organ unspecified	0	0	0	0	<b>0</b>
Complications of transplanted pancreas	0	0	0	0	<b>0</b>
Congenital nephrotic syndrome	0	0	1	0	<b>1</b>
Congenital obstruction of ureterpelvic junction	1	0	1	0	<b>2</b>
Congenital obstruction of uretrovesical junction	3	0	0	0	<b>3</b>
Cystinosis	0	0	0	0	<b>0</b>
Dense deposit disease, MPGN type 2	1	0	0	0	<b>1</b>
Diabetes with renal manifestations Type 1	24	3	10	0	<b>37</b>
Diabetes with renal manifestations Type 2	180	10	36	0	<b>226</b>
Drash syndrome, mesangial sclerosis	1	0	0	0	<b>1</b>
Etiology uncertain	24	3	4	0	<b>31</b>
Fabry's disease	1	0	0	0	<b>1</b>
Focal Glomerulonephritis, focal sclerosing GN	43	15	19	0	<b>77</b>
Glomerulonephritis (GN) (histologically not examined)	24	2	7	0	<b>33</b>
Goodpasture's syndrome	0	0	0	0	<b>0</b>
Gouty nephropathy	0	0	0	0	<b>0</b>
Hemolytic uremic syndrome	2	0	0	0	<b>2</b>
Henoch-Schonlein syndrome	1	1	0	0	<b>2</b>
Hepatorenal syndrome	2	0	0	0	<b>2</b>
Hereditary nephritis, Alport's syndrome	1	4	4	0	<b>9</b>
Hypertension: Unspecified with renal failure	213	30	48	0	<b>291</b>
IgA nephropathy, Berger's disease (proven by immunofluorescence)	17	6	6	0	<b>29</b>
IgM nephropathy (proven by immunofluorescence)	0	0	0	0	<b>0</b>
Lead nephropathy	0	0	0	0	<b>0</b>
Lupus erythematosus, (SLE nephritis)	15	2	11	0	<b>28</b>
Lymphoma of kidneys	0	0	0	0	<b>0</b>
Medullary cystic disease, including nephronophthisis	0	2	0	0	<b>2</b>
Membranoproliferative GN type 1, diffuse MPGN	2	1	4	0	<b>7</b>
Membranous nephropathy	6	0	2	0	<b>8</b>
Multiple myeloma	0	0	0	0	<b>0</b>
Nephrolithiasis	0	0	0	0	<b>0</b>
Nephropathy caused by other agents	4	1	0	0	<b>5</b>
Nephropathy due to heroin abuse and related drugs	0	0	0	0	<b>0</b>
Other (congenital malformation syndromes)	2	1	3	0	<b>6</b>
Other Congenital obstructive uropathy	7	0	1	0	<b>8</b>
Other disorders of calcium metabolism	0	0	0	0	<b>0</b>

Other immuno proliferative neoplasms (including light chain nephropathy)	0	0	0	0	<b>0</b>
Other proliferative GN	2	0	3	0	<b>5</b>
Other renal disorders	11	3	2	0	<b>16</b>
Other Vasculitis and its derivatives	0	0	2	0	<b>2</b>
Polyarteritis	1	0	0	0	<b>1</b>
Polycystic kidneys, adult type (dominant)	40	11	19	0	<b>70</b>
Polycystic, infantile (recessive)	1	0	0	0	<b>1</b>
Post infectious GN, SBE	0	0	0	0	<b>0</b>
Post partum renal failure	0	0	0	0	<b>0</b>
Primary oxalosis	0	0	0	0	<b>0</b>
Prune belly syndrome	1	1	0	0	<b>2</b>
Radiation nephritis	0	0	0	0	<b>0</b>
Renal artery occlusion	1	0	0	0	<b>1</b>
Renal artery stenosis	0	0	0	0	<b>0</b>
Renal hypoplasia, dysplasia, oligonephronia	8	2	1	0	<b>11</b>
Renal tumor (benign)	0	0	0	0	<b>0</b>
Renal tumor (malignant)	4	0	0	0	<b>4</b>
Renal tumor (unspecified)	0	0	0	0	<b>0</b>
Scleroderma	1	1	0	0	<b>2</b>
Secondary GN, other	1	1	0	0	<b>2</b>
Sickle cell disease/anemia	0	0	0	0	<b>0</b>
Sickle cell trait and other sickle cell (HbS/Hb other)	0	0	0	0	<b>0</b>
Traumatic or surgical loss of kidney(s)	1	0	0	0	<b>1</b>
Tuberous sclerosis	0	0	1	0	<b>1</b>
Tubular necrosis (no recovery)	7	1	1	0	<b>9</b>
Urinary tract tumor (benign)	0	0	0	0	<b>0</b>
Urinary tract tumor (malignant)	1	0	0	0	<b>1</b>
Urinary tract tumor (unspecified)	0	0	0	0	<b>0</b>
Urolithiasis	0	0	0	0	<b>0</b>
Wegener's granulomatosis	2	0	4	0	<b>6</b>
With lesion of rapidly progressive GN	2	1	0	0	<b>3</b>
Not Specified	42	11	31	0	<b>84</b>
<b>Total</b>	<b>737</b>	<b>115</b>	<b>246</b>	<b>0</b>	<b>1,098</b>

*\*Tables are taken directly from CMS CROWNWeb. The counts are preliminary and subject to change; their accuracy has not been verified.*